

# TOOLS FOR MULTI-CUTTERS



## PRODUCTS

## PAGE

### STARLOCK®/STARLOCKPLUS®/STARLOCKMAX® Arbors

Radial Saw Blades for Multi-Mat & Wood&Metal	99
Plunge Cut & Precision for Wood	100~102
Plunge Cut for Wood&Nails	102~105
Blades for Wood&Metal	103-104
Blades for Metal	105
Blades for Masonry	106
Rasp & Saw for Masonry	107
Scraper for Multi-Mat	108
Blades for Special Materials	109
Sets for Multi-Cutters	109
Delta Sanding Pad	110
Polishing Fleece	110
Sandpaper Sheet	110

### Universal/SuperCut Arbors

Plunge Cut & Precision for Wood	112-113
Radial Saw Blade for Wood	114
Plunge & Flush-Cut for Wood&Metal	114~116
Radial Saw Blade for Wood&Metal	116
Scraper for Multi-Mat	117
Radial Saw Blade for Masonry	117-118
Rasp & Saw for Masonry	118-119
Carbide Grit Mortar Remover for Masonry	118
Delta Sanding Pad	119
Sets for Multi-Cutters	120

### CMT11

Oscillating Multi-Tool



381



## MAXIMIZE YOUR PERFORMANCE!



**HIGH CARBON STEEL**  
for cutting wood and plastic.



**BI-METAL WITH 8% COBALT**  
for cutting metal, nail embedded wood and plastic.



**BI-METAL WITH 8% COBALT WITH TITANIUM COATING**  
for cutting metal, nail embedded wood and plastic, providing extreme performance and 30% longer lifetime.



**TUNGSTEN CARBIDE TIPPED**  
for cutting wood, screws and nails, fiber cement board, plasterboard, plastic, sheet metal, copper, aluminium and stainless steel. Doubles tool lifetime.



**TUNGSTEN CARBIDE GRIT COATED**  
for routing joints and grooves, smaller cutouts, and routing recesses in a variety of materials: tiles, plasterboard, porous concrete, construction materials, epoxy and fiberglass.



**DIAMOND GRIT COATED**  
for routing joints and grooves, smaller cutouts, and routing recesses in a variety of materials: tiles, plasterboard, porous concrete, construction materials, epoxy and fiberglass. Extreme performance and longer lifetime.

# SAWING & CUTTING



## CUTTING & SCRAPING



## GRINDING, RASPING & SEPARATING



### MULTI MATERIALS



## SANDING & POLISHING



### APPLICATIONS

- GRINDING
- SAWING
- JOINT CLEANING
- PLASTIC CUTTING
- CARPET REMOVAL
- PLUNGE CUTTING
- WOOD CUTTING
- CUTTING LAMINATE SHEETS
- TUBE TRIMMING
- NAIL CUTTING

**THE RIGHT BLADE FOR THE BEST RESULTS!**

Quick reference charts and pictograms help you choose the right blade for your application.


**WOOD**

**WOOD&NAILS**  
**WOOD&METAL**

**METAL**

**MULTI-MAT**

**MASONRY**




**STARLOCK®: THE NEW SYSTEM FOR MULTI-CUTTER POWER TOOLS**

STARLOCK® enables extremely reliable and fast accessory changes in a record time of less than 3 seconds. It also guarantees a secure fit and therefore maximum power transfer. The result: up to around 35% faster performance depending on the accessory, noticeably improved precision and reduced noise. To protect the individual tools from overload and damage, the system is divided into 3 performance classes: **STARLOCK®**, **STARLOCKPLUS®** and **STARLOCKMAX®**. The performance potential of a multi-cutter tool can only be fully exploited with the right accessories. The exceptional quality and service life of our accessories combined with the perfect results delivers excellent value for money.

POWERTOOL COMPATIBILITY CHART FOR CMT MULTI-CUTTER ACCESSORIES	STARLOCK	STARLOCK PLUS	STARLOCK MAX
	SL	SLP	SLM
AEG®	●		
BOSCH®	●	●	●
CMT®	●		
CRAFTSMAN®	●	●	
DEWALT®	●		
DREMEL®	●		
EINHELL®	●		
FEIN® MULTITALENT®/MULTIMASTER®	●	●	
FEIN® SUPERCUT AUTOMOTIVE/CONSTRUCTION	●	●	●
FESTOOL® VECTURO®	●	●	●
HITACHI®	●		
MAKITA®	●	●	
METABO®	●		
MILWAUKEE®	●	●	
RIDGID®	●		
ROCKWELL®	●	●	
RYOBI®	●	●	
SKIL®	●	●	
WORX®	●		


Some brands may require an adapter

## OMF113 STARLOCK




85mm Radial Saw Blade for Soft Materials, Segmented

- FEATURES:** HCS with hardened teeth.
- MATERIAL:** Soft materials only.
- APPLICATION:** Segmented, ideal for corners, edges, flush to the surface. Ideal for corners and edges.



Pack Quantity	W mm	K mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	85	0,8	1,5	17	100	<b>OMF113-X1</b>
5 in clamshell	85	0,8	1,5	17	15	<b>OMF113-X5</b>

## OMF106 STARLOCK



85mm Radial Saw Blade for Wood&Metal, Segmented

- FEATURES:** HSS with metal toothing. Clean and narrow cutting line.
- MATERIAL:** Suitable for applications on plastic, fibreglass, wood, glazing compound, brass, bronze, GFRP, non-ferrous materials and sheet metal up to 2mm in thickness.
- APPLICATION:** Wide range of applications. Ideal for corners and edge work as well as finishing cuts.



Pack Quantity	W mm	K mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	85	0,7	1,34	19	100	<b>OMF106-X1</b>
5 in clamshell	85	0,7	1,34	19	50	<b>OMF106-X5</b>

## OMF174 STARLOCK



85mm Circular Saw Blade for Wood&Metal. Long Life

- FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt for long life.
- MATERIAL:** For sheet metal up to 2mm, plastics, fibreglass, CFRP, wood, glazing compound, brass, bronze.
- APPLICATION:** Circular shape for increased cost-effectiveness.



Pack Quantity	W mm	K mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	85	0,7	1,27	20	100	<b>OMF174-X1</b>
5 in clamshell	85	0,7	1,27	20	50	<b>OMF174-X5</b>

## OMF133 STARLOCK




### 35mm Plunge Cut Blade for Wood

**FEATURES:** HCS hardened fine teeth. Narrow waisted to ensure good swarf removal.


**MATERIAL:** For all wood products, plasterboard and plastics.

**APPLICATION:** Wide range of applications: outstanding cutting speed and quality.



PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	35	50	1,4	18	70	OMF133-X1
5 in clamshell	35	50	1,4	18	34	OMF133-X5
50 in masterpack	35	50	1,4	18	8	OMF133-X50

## OMF126 STARLOCK




### 35mm Precision Cut Blade with Japanese Tothing for Wood


**FEATURES:** HCS hardened featuring double-row pattern "Japanese tothing".

**MATERIAL:** For wood products, plasterboard and soft plastics.

**APPLICATION:** Excellent cutting quality and speed and outstanding precision.



PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	35	50	1,75	14	70	OMF126-X1
5 in clamshell	35	50	1,75	14	34	OMF126-X5
50 in masterpack	35	50	1,75	14	8	OMF126-X50



JAPANESE TOTHING

## OMF233 STARLOCK




### 45mm Precision Cut Blade with Japanese Tothing for Wood


**FEATURES:** HCS hardened featuring double-row pattern "Japanese tothing".

**MATERIAL:** For all wood products, plasterboard and soft plastics.

**APPLICATION:** Excellent cutting quality and speed, outstanding precision. Medium width waist for a wide range of applications.



PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	45	50	1,75	14	70	OMF233-X1
5 in clamshell	45	50	1,75	14	34	OMF233-X5
50 in masterpack	45	50	1,75	14	8	OMF233-X50



JAPANESE TOTHING

## OMF230 STARLOCK



### 65mm Precision Cut Blade with Japanese Tothing for Wood


- FEATURES:** HCS hardened featuring Japanese tothing.
- MATERIAL:** For all wood products up to 50mm, plasterboard and soft plastics.
- APPLICATION:** Excellent cutting quality and speed and outstanding precision. Medium width for a variety of applications.

**WOOD** GROUND & SIDE SET TEETH **HCS**

Hard/Soft Wood Blockboard Chipboard PVC Plastic Plasterboard


**FAST CUT**

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	65	50	1,75	14	70	<b>OMF230-X1</b>
5 in clamshell	65	50	1,75	14	34	<b>OMF230-X5</b>
50 in masterpack	65	50	1,75	14	8	<b>OMF230-X50</b>



**JAPANESE TOTHING**

## OMF205 STARLOCK



### 35mm Precision Cut Blade with Japanese tothing for Wood. Long Life


- FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt featuring double-row "Japanese tothing". Guaranteed long life.
- MATERIAL:** For all wood materials up to 50mm, plasterboard and soft plastics.
- APPLICATION:** Wide range of applications. Medium width waist for outstanding cutting quality and speed.

**WOOD** GROUND & SIDE SET TEETH **BIM 8% Co**

Hard/Soft Wood Blockboard Chipboard PVC Plastic Plasterboard

**LONG LIFE** **FAST CUT**

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	35	50	1,75	14	70	<b>OMF205-X1</b>
5 in clamshell	35	50	1,75	14	34	<b>OMF205-X5</b>
50 in masterpack	35	50	1,75	14	8	<b>OMF205-X50</b>



**JAPANESE TOTHING**  
Reduced tooth height for longer lifetime

## OMF232 STARLOCK



### 45mm Precision Cut Blade with Japanese Tothing for Wood. Long Life


- FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt featuring double-row "Japanese tothing". Guaranteed long life.
- MATERIAL:** For all wood products up to 50mm, blockboard, plasterboard and soft plastics.
- APPLICATION:** Wide range of applications. Medium width waist for outstanding cutting speed and maximum precision.

**WOOD** GROUND & SIDE SET TEETH **BIM 8% Co**

Hard/Soft Wood Blockboard Chipboard PVC Plastic Plasterboard

**LONG LIFE** **FAST CUT**

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	45	50	1,75	14	70	<b>OMF232-X1</b>
5 in clamshell	45	50	1,75	14	34	<b>OMF232-X5</b>
50 in masterpack	45	50	1,75	14	8	<b>OMF232-X50</b>



**JAPANESE TOTHING**  
Reduced tooth height for longer lifetime


## OMF229 STARLOCK

65mm Precision Cut Blade with Japanese Tothing for Wood. Long Life

**FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt featuring double-row "Japanese Tothing". Guaranteed long life.

**MATERIAL:** For wood up to 50mm, plasterboard and soft plastics.

**APPLICATION:** Wide range of applications. Extra wide cutting edge for maximum cutting performance. For long, straight cuts.



PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	65	50	1,75	14	70	OMF229-X1
5 in clamshell	65	50	1,75	14	34	OMF229-X5
50 in masterpack	65	50	1,75	14	8	OMF229-X50



**JAPANESE TOTHING**  
Reduced tooth height for longer lifetime


## OMF208 STARLOCK PLUS

65mm Precision Cut Blade with Japanese Tothing for Wood. Long Life


**FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt featuring double-row "Japanese Tothing". Guaranteed long life.

**MATERIAL:** For wood up to 50mm, plasterboard and soft plastics.

**APPLICATION:** Wide range of applications. Extra wide cutting edge for maximum cutting performance. For long, straight cuts.



PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCKPLUS®
1 in clamshell	65	50	1,75	14	70	OMF208-X1
5 in clamshell	65	50	1,75	14	34	OMF208-X5
50 in masterpack	65	50	1,75	14	8	OMF208-X50



**JAPANESE TOTHING**  
Reduced tooth height for longer lifetime


## OMF184 STARLOCK

10mm Plunge Cut Blade for Wood & Nails. Long Life

**FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt. Long life.

**MATERIAL:** For wood and wood with embedded nails up to 5mm, porous cement, plasterboard, and plastics.

**APPLICATION:** Extremely robust. Short and narrow shape ideal for tight groove work.



PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	10	30	1,4	18	70	OMF184-X1
5 in clamshell	10	30	1,4	18	34	OMF184-X5
50 in masterpack	10	30	1,4	18	8	OMF184-X50



## OMF183 STARLOCK



**20mm Plunge Cut Blade for Wood & Nails. Long Life**

**FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt. Long life.

**MATERIAL:** For wood and wood with embedded nails up to 5mm, porous cement, plasterboard and plastics.

**APPLICATION:** Extremely robust. Short and narrow shape ideal for tight groove work.

**WOOD&NAILS** MILLED & SIDE SET TEETH BIM 8% Co

Hard/Soft Wood Wood with Nails PVC Plastic Plasterboard Epoxy Fiberglass

**LONG LIFE**

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	20	34	1,4	18	70	OMF183-X1
5 in clamshell	20	34	1,4	18	34	OMF183-X5
50 in masterpack	20	34	1,4	18	8	OMF183-X50

## OMF222 STARLOCK



**28mm Plunge Cut Blade for Wood & Metal. Long Life**

**FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt for long life. Milled & wavy universal toothting.

**MATERIAL:** For sheet metal up to 2mm, wood products, plasterboard and soft plastics, non-ferrous pipe and profiles such as copper, aluminum and brass.

**APPLICATION:** Wide range of applications. Narrow waist means outstanding cutting speed and excellent swarf evacuation.

**WOOD&METAL** MILLED & WAVY SET TEETH BIM 8% Co

Hard/Soft Wood Wood with Nails PVC Plastic ALU Aluminium Sheet Metal Non-Ferrous Metals

Plasterboard Cu Zn Non-Ferrous Metals 130% LONGER LIFE **LONG LIFE**

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	28	55	1,4	18	70	OMF222-X1
5 in clamshell	28	55	1,4	18	34	OMF222-X5
50 in masterpack	28	55	1,4	18	8	OMF222-X50



**WAVY UNIVERSAL TOOTHING**

## OMF160 STARLOCK



**35mm Plunge Cut Blade for Wood & Nails. Long Life**

**FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt. Long life.

**MATERIAL:** For wood and wood with embedded nails up to 5mm, porous cement, plasterboard, and plastics.

**APPLICATION:** Wide range of applications. Medium width waisted shape for optimum cutting quality and speed. Good swarf removal.

**WOOD&NAILS** MILLED & SIDE SET TEETH BIM 8% Co

Hard/Soft Wood Wood with Nails PVC Plastic Plasterboard Epoxy Fiberglass

**LONG LIFE**

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	35	50	1,4	18	70	OMF160-X1
5 in clamshell	35	50	1,4	18	34	OMF160-X5
50 in masterpack	35	50	1,4	18	8	OMF160-X50



Watch the video on



## OMF223 STARLOCK

44mm Plunge Cut Blade for Wood & Metal. Long Life

**FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt for long life. Milled & wavy universal toothting.

**MATERIAL:** For sheet metal up to 2mm, wood products, plasterboard, and soft plastics, non-ferrous pipe and profiles such as copper, aluminum and brass.

**APPLICATION:** Wide range of applications. Narrow waist means outstanding cutting speed and good swarf evacuation.

WOOD&METAL

MILLED & WAVY SET TEETH

BIM  
8% Co

Hard/Soft Wood

Wood with Nails

PVC  
Plastic

ALU  
Aluminium

Sheet Metal


Non-Ferrous Metals

Plasterboard

Cu Zn  
Non-Ferrous Metals

130%  
LONGER LIFE

LONG LIFE



WAVY UNIVERSAL TOOTHING

Pack Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	44	55	1,4	18	70	OMF223-X1
5 in clamshell	44	55	1,4	18	34	OMF223-X5
50 in masterpack	44	55	1,4	18	8	OMF223-X50

## OMF221 STARLOCK

50mm Plunge Cut Blade for Wood & Nails. Long Life

**FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt. Long life.

**MATERIAL:** For wood and wood with embedded nails up to 5mm, porous cement, plasterboard, and plastic.

**APPLICATION:** Wide range of applications. Wide waisted shape for maximum cutting performance and speed. Long straight cuts.

WOOD&NAILS

MILLED & SIDE SET TEETH

BIM  
8% Co

Hard/Soft Wood

Wood with Nails

PVC  
Plastic


Plasterboard

Epoxy

Fiberglass

Cu Zn  
Non-Ferrous Metals

LONG LIFE



Pack Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	50	50	1,4	18	70	OMF221-X1
5 in clamshell	50	50	1,4	18	34	OMF221-X5
50 in masterpack	50	50	1,4	18	8	OMF221-X50

## OMF228 STARLOCK

65mm Plunge Cut Blade for Wood & Nails. Long Life

**FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt. Long life.

**MATERIAL:** For wood and wood with embedded nails up to 5mm, masonry, plasterboard and plastic.

**APPLICATION:** Plunge cut at any point in the material. Excellent cutting quality and speed. Wide shape for long straight cuts.

WOOD&NAILS

MILLED & SIDE SET TEETH

BIM  
8% Co

Hard/Soft Wood

Wood with Nails

PVC  
Plastic

Plasterboard

LONG LIFE



Pack Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	65	50	1,4	18	70	OMF228-X1
5 in clamshell	65	50	1,4	18	34	OMF228-X5
50 in masterpack	65	50	1,4	18	8	OMF228-X50

## OMF161 STARLOCK PLUS

new



65mm Plunge Cut Blade for Wood & Nails. Long Life

**FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt. Long life.

**MATERIAL:** For wood and wood with embedded nails up to 5mm, masonry, plasterboard and plastic.

**APPLICATION:** Plunge cut at any point in the material. Excellent cutting quality and speed. Wide shape for long straight cuts.

WOOD&NAILS

MILLED & SIDE SET TEETH

BIM 8% Co

Hard/Soft Wood

Wood with Nails

PVC Plastic

Plasterboard

LONG LIFE

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCKPLUS®
1 in clamshell	65	50	1,4	18	70	OMF161-X1
5 in clamshell	65	50	1,4	18	34	OMF161-X5
50 in masterpack	65	50	1,4	18	8	OMF161-X50

## OMF157 STARLOCK



30mm Plunge Cut Blade for Metal. Fine Cut

**FEATURES:** Reinforced teeth with Bi-metal 8% Cobalt for long life. Thin kerf.

**MATERIAL:** For sheet metal up to 2mm, hard plastics, non-ferrous pipe and profiles such as copper, aluminum and brass, and fiberglass.

**APPLICATION:** For particularly fine, thin and precise cuts. Easy control. Medium waist for faster cutting and good swarf evacuation.

METAL

MILLED & WAVY SET TEETH

BIM 8% Co

Sheet Metal

ALU Aluminium

PVC Plastic

Pipes, Profiles

Epoxy

Fiberglass


Cu Zn Non-Ferrous Metals

FINE CUT

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in clamshell	30	50	1,2	21	70	OMF157-X1
5 in clamshell	30	50	1,2	21	34	OMF157-X5
50 in masterpack	30	50	1,2	21	8	OMF157-X50

## OMF237 STARLOCK PLUS

new



32mm Carbide + TiN Coating Plunge & Flush-Cut for Metal. Extra Long Life

**FEATURES:** Carbide teeth with TiN coating for Extra Long life.

**MATERIAL:** For metal up to 40-50 HRC in hardness, plasterboard, hard plastics, fiberglass (GRP) and wood with nails.

**APPLICATION:** Precise and easy to control. Very thin cuts. Narrow waist for fast cuts and good chip removal.

METAL

MILLED & WAVY SET TEETH

CARBIDE TiN

Metal 40-50 HRC

Plasterboard

PVC Plastic

Fiberglass


Wood with Nails

30X LONGER LIFE

EXTRA LONG LIFE

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCKPLUS®
1 in clamshell	32	60	1,2	21	70	OMF237-X1

**OMF118 STARLOCK**




**75mm Carbide Grit Radial Saw Blade, Segmented.**

**FEATURES:** Carbide Grit.  
**MATERIAL:** Segmented blade for tile joints, plasterboard, porous concrete, construction materials and cleaning teak seams on boat decks.

**APPLICATION:** An economical alternative to diamond tools. For cleaning very hard epoxy resin or cement jointwork, cutting out grout on walls or seams in flooring panels, grooving in porous concrete, laying concealed cables or pipes. Ideal for working close to corners and edges. Cutting edge width approx. 2,2mm.

**MASONRY CARBIDE GRIT**



Pack Quantity	W mm	K mm		ORDER NO. STARLOCK®
1 in clamshell	75	2,2	80	<b>OMF118-X1</b>
5 in clamshell	75	2,2	40	<b>OMF118-X5</b>

**OMF125 STARLOCK**




**75mm Carbide Grit Radial Saw Blade, Segmented**

**FEATURES:** Carbide Grit.  
**MATERIAL:** Segmented blade for tile joints, plasterboard, porous concrete, construction materials and cleaning teak seams on boat decks.

**APPLICATION:** An economical alternative to diamond tools. For cleaning very hard epoxy resin or cement jointwork, cutting out grout on tiled walls or seams in flooring panels, grooving in porous concrete, laying concealed cables or pipes. Ideal for working close to corners and edges. Extra-thin cutting edge width 1,2mm.

**MASONRY CARBIDE GRIT**



Pack Quantity	W mm	K mm		ORDER NO. STARLOCK®
1 in clamshell	75	1,2	100	<b>OMF125-X1</b>
5 in clamshell	75	1,2	40	<b>OMF125-X5</b>

**OMF114 STARLOCK**




**75mm Diamond Coated Radial Saw Blade, Segmented. Extra-Long Life**

**FEATURES:** Segmented radial saw blade with diamond grit for extra-long lifetime.  
**MATERIAL:** Segmented blade for tiles, plasterboard, porous concrete, construction materials and cleaning teak seams on boat decks.

**APPLICATION:** For frequent use and challenging jobs, cleaning very hard epoxy resin or cement jointwork, cutting out grout on tiled walls or seams in flooring panels, grooving in porous concrete, laying concealed cables or pipes. Ideal for working close to corners and edges. Cutting edge width approx. 2,2mm.

**MASONRY GRIT**




Pack Quantity	W mm	K mm		ORDER NO. STARLOCK®
1 in clamshell	75	2,2	115	<b>OMF114-X1</b>
5 in clamshell	75	2,2	56	<b>OMF114-X5</b>

## OMF002 STARLOCK PLUS



### 45mm Carbide Grit Fingertip Rasp -Double-Sided

- FEATURES:** Carbide Grit on both sides.
- MATERIAL:** Abrasive rasp for tiles, plasterboard, porous concrete, stone, construction materials, wood and carpet adhesives.
- APPLICATION:** Wide variety of applications. Fingertip shape perfect for coarse grinding in tight corners, removal of cement, mortar and adhesive residues, scraping wood, and grinding tile adhesives, cement, stone, wood, fiberglass and plastic.




PACK Quantity	W mm	I mm		ORDER NO. STARLOCKPLUS®
1 in clamshell	33	45	250	OMF002-X1

## OMF001 STARLOCK



### 80mm Carbide Grit Delta Rasp

- FEATURES:** Carbide Grit.
- MATERIAL:** Triangular abrasive rasp for coarse grinding of tile adhesives, plasterboard, porous concrete, construction materials, wood and carpeting.
- APPLICATION:** Wide range of applications: For coarse grinding in tight corners, removal of cement, mortar and adhesive residues, scraping wood, and grinding tile adhesives, cement, stone, wood, fiberglass and plastic.




PACK Quantity	W mm		ORDER NO. STARLOCK®
1 in clamshell	80	250	OMF001-X1

## OMF243 STARLOCK MAX



### 60mm Diamond Coated Saw Blade, Segmented. Extra-Long Life

- FEATURES:** Diamond coated for extra-long life. Segmented.
- MATERIAL:** For tiles, marble, hard epoxy resins and cement grouts.
- APPLICATION:** Best for frequent use and challenging jobs in tight corners and edges. Efficient shape allows aggressive grinding/scraping without damaging tile. Cuts out marble and Trass concrete joints, great for sinking ducts in plaster, pumice, brick and honeycomb stone as well as autoclave aerated concrete. Cutting width approx. 2.2mm



PACK Quantity	W mm	K mm		ORDER NO. STARLOCKMAX®
1 in clamshell	60	2,2	115	OMF243-X1

## OMF226 STARLOCK




### 52mm Rigid Scraper Blade for All Materials

**FEATURES:** Rigid Scraper in HL steel.

**APPLICATION:** Removes old plant layers, adhesive, carpeting, tile and mortar residues as well as rubberized protectants.

**MULTI-MAT**



Pack Quantity	W mm	K mm		ORDER NO. STARLOCK®
1 in clamshell	52	0,8	100	<b>OMF226-X1</b>

## OMF165 STARLOCK




### 52mm Flexible Scraper Blade for All Materials

**FEATURES:** Scraper in HL, flexible.

**APPLICATION:** Removes old layers of paint, adhesive, and carpeting residues as well as silicone joints.

**MULTI-MAT**



Pack Quantity	W mm	K mm		ORDER NO. STARLOCK®
1 in clamshell	52	0,4	100	<b>OMF165-X1</b>

## OMF245 STARLOCK



### 70mm "Mushroom-Shaped" Cutting Blade for All Materials

**FEATURES:** HL steel blade with special mushroom shape.

**APPLICATION:** Best for frequent use and challenging jobs in tight corners and edges. Efficient shape allows aggressive grinding/scraping without damaging tile. Cuts out marble and Trass concrete joints, great for sinking ducts in plaster, pumice, brick and honeycomb stone as well as autoclave aerated concrete. Cutting width approx. 2.2mm. Blade shape keeps hands safely away from broken glass when repairing window panes and/or separating insulated glass panels.

**MULTI-MAT**



Pack Quantity	W mm	K mm		ORDER NO. STARLOCK®
5 in clamshell	70	0,4	50	<b>OMF245-X5</b>

**OMF201 STARLOCK PLUS**




**4mm Angled Gouging Blade**

**FEATURES:** Angled Gouging blade in HCS.  
**MATERIAL:** For cutting, gouging and digging out soft materials like sealant, caulk and silicone from tight recesses.  
**APPLICATION:** For cleaning out tight notches and narrow recesses or crevices. Specialized blade for boat maintenance such as reworking cabins, rails, gunwales, cleats and curves. Ideal for cutting out sealant on boats with panelled decks.



Pack Quantity	K mm	W mm	I mm		ORDER NO. STARLOCKPLUS®
1 in clamshell	4	16	11	70	OMF201-X1

**OMF251 STARLOCK**



**41mm Multi-Knife with Three Cutting Edges, Segmented**

**FEATURES:** Segmented multi-knife with three cutting edges.  
**MATERIAL:** For removing carpeting residues, soft materials like sealant and foam insulation, leather goods, PVC flooring, cardboard, bitumen shingles and roofing paper.  
**APPLICATION:** Unique shape means that material can be cut simply by pulling, pushing or pressing. Ideal for grout between tiles and removing carpet, PVC floors, cardboard, bitumen shingles and roofing fabric.



Pack Quantity	W mm	I mm		ORDER NO. STARLOCK®
1 in clamshell	41	41	70	OMF251-X1

**OMF-X4 STARLOCK**



**4 piece General Purpose Set for Multi-Cutters**

- 2 blades with Japanese Tothing for all wood products, blockboard, plasterboard and plastics.
- 2 blades in BIM for all wood products, blockboard, plasterboard, fiberglass, epoxy resin and soft plastics. Excellent for cutting wood with embedded nails up to 5mm in diameter and even masonry, like porous concrete.


**WOOD WOOD&NAILS**

8 Sets in End-cap display (minimum order 8 sets)



Pack Quantity	MATERIAL	W mm	I mm	TS mm	TPI	ORDER NO.
1	HCS	35	50	1,75	14	OMF126-X1
1	BIM	35	50	1,4	18	OMF160-X1
1	BIM	50	50	1,4	18	OMF221-X1
1	HCS	65	50	1,75	14	OMF230-X1

## OMF136 STARLOCK



### 93mm Delta Sanding Pad. Perforated

**FEATURES:** Triangular perforated sanding pad with micro VELCRO®. Quick, easy sanding sheet changes.

**APPLICATION:** Perfectly sands surfaces on any material. Comprehensive range of sanding sheets permits a wide range of sanding applications.



Pack Quantity	W mm		ORDER NO. STARLOCK®
1 in clamshell	93	40	OMF136-X1


## OMA30000



### 93mm Delta Polishing Fleece. Perforated

**FEATURES:** Triangular polishing fleece with micro VELCRO®. For use with skus #OMM30, #OMS30 and #OMF136.

**APPLICATION:** Suitable for bringing out grain in wood (rustic look), de-rusting metal, matte sanding varnished surfaces and glass, removing dirt and deposits without altering the workpiece surface.



Pack Quantity	W mm		ORDER NO.
4 in clamshell	93	10	OMA30000-X4

## OMA30



### 93mm Aluminium-Oxide Delta Sandpaper for Wood. Perforated

**FEATURES:** Triangular sandpaper sheet with micro VELCRO®. For use with skus #OMM30 and #OMS30 and #OMF136.

**APPLICATION:** Suitable for sanding all types of wood, chipboard, plywood, construction boards, for pre-sanding of rough, uneven beams, boards and panels. Best results achieved with dust extractor. Aluminium-Oxide abrasive grain and full resin bond guarantee high abrasion performance.



Pack Quantity	W mm	GRIT		ORDER NO.
10 in clamshell	93	40	10	OMA30040-X10
10 in clamshell	93	60	10	OMA30060-X10
10 in clamshell	93	80	10	OMA30080-X10
10 in clamshell	93	100	10	OMA30100-X10
10 in clamshell	93	120	10	OMA30120-X10
10 in clamshell	93	180	10	OMA30180-X10
10 in clamshell	93	240	10	OMA30240-X10



**THE RIGHT BLADE FOR THE BEST RESULTS!**

Quick reference charts and pictograms help you choose the right blade for your application.

**WOOD**



**WOOD&METAL**



**MULTI-MAT**



**MASONRY**



**CMT UNIVERSAL ARBOR FITS MOST MULTI-CUTTERS ON THE MARKET**

This tool mount also enables the accessory to be repositioned in 30-degree steps.


**ARBOR FOR FEIN® SUPERCUT AND FESTOOL® VECTURO®**

This tool mount also enables the accessory to be repositioned in 30-degree steps.

**OMA31**

**Universal Adapters**

This universal adapter permits easy attachment of CMT accessories to most multi-cutter tools. Fits snugly and does not slip. Ideal for BOSCH®, CHICAGO®, CRAFTSMAN®, DREMEL®, FEIN®, MAKITA®, MILWAUKEE®, MASTERCRAFT®, OZITO®, AEG®, RIDGID®, ROCKWELL®, SMART®, WORX®.



Pack Quantity	ORDER NO.
2 in clamshell	OMA31-X2

## OMM01

Universal Arbor





## OMS01

Arbor for  
FEIN® SuperCut  
FESTOOL® VECTURO®



### 10mm Plunge and Flush-Cut Blade for Wood

**FEATURES:** HCS with hardened teeth.  
**MATERIAL:** For wood, blockboard, chipboard, plastic, pipes and profiles.  
**APPLICATION:** Wide range of applications: installing a ventilation grille, cutting a recess in furniture elements to enable access to a mains socket, adjustment work in wood like sawing recesses for locks and fitting, window and door hardware.



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in clamshell	10	28	18	10	<b>OMM01-X1</b>	<b>OMS01-X1</b>

## OMM02

Universal Arbor





## OMS02

Arbor for  
FEIN® SuperCut  
FESTOOL® VECTURO®



### 22mm Plunge and Flush-Cut Blade for Wood

**FEATURES:** HCS with hardened teeth.  
**MATERIAL:** For wood, blockboard, chipboard, plastic, pipes and profiles.  
**APPLICATION:** Wide range of applications: installing a ventilation grille, cutting a recess in furniture elements to enable access to a mains socket, flush-cutting wooden components to length (like dowels and tenons), window and door hardware.



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in clamshell	22	48	18	10	<b>OMM02-X1</b>	<b>OMS02-X1</b>
5 in clamshell	22	48	18	5	<b>OMM02-X5</b>	<b>OMS02-X5</b>

## OMM03

Universal Arbor




## OMS03

Arbor for  
FEIN® SuperCut  
FESTOOL® VECTURO®



### 28mm Plunge and Flush-Cut Blade for Wood

**FEATURES:** HCS with hardened teeth.  
**MATERIAL:** For wood, blockboard, chipboard, plastic, pipes and profiles.  
**APPLICATION:** Wide range of applications: installing a ventilation grille, cutting a recess in furniture elements to enable access to a mains socket, flush-cutting wooden components to length (like dowels and tenons), window and door hardware.



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in clamshell	28	48	18	10	<b>OMM03-X1</b>	<b>OMS03-X1</b>
50 in masterpack	28	48	18	2	<b>OMM03-X50</b>	<b>OMS03-X50</b>

## OMM04

Universal Arbor





## OMS04

Arbor for  
FEIN® SuperCut  
FESTOOL® VECTURO®



### 34mm Precision Cut Blade - Japanese Tothing for Wood

**FEATURES:** HCS with "Japanese" double-row pattern, hardened teeth.  
**MATERIAL:** For wood, timber, blockboard, chipboard.  
**APPLICATION:** Ground and side set teeth for precision, clean, quick cutting into soft wood and timber. This tooth pattern with its longer teeth allows you to start cutting from a precise point by standing the blade on its corner and lowering it into the wood.




PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in clamshell	34	40	14	10	<b>OMM04-X1</b>	<b>OMS04-X1</b>
5 in clamshell	34	40	14	5	<b>OMM04-X5</b>	<b>OMS04-X5</b>
50 in masterpack	34	40	14	2	<b>OMM04-X50</b>	<b>OMS04-X50</b>



## OMM05

Universal Arbor



## OMS05

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 34mm Plunge and Flush-Cut Blade for Wood. Extra-Long Life

**FEATURES:** Bi-metal with 8% Cobalt teeth guarantee extra-long life.

**MATERIAL:** For wood, blockboard, chipboard, plastic, pipes and profiles.

**APPLICATION:** Wide range of applications: installing a ventilation grille, cutting a recess in furniture elements to enable access to a mains socket, flush-cutting wooden components to length (like dowels and tenons), window and door hardware.

**WOOD** MILLED & SIDE SET TEETH BIM 8% Co

Hard/Soft Wood Blockboard Chipboard PVC Plastic

**LONG LIFE**

PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	34	40	18	10	OMM05-X1	OMS05-X1
5 in clamshell	34	40	18	5	OMM05-X5	OMS05-X5
50 in masterpack	34	40	18	2	OMM05-X50	OMS05-X50

## OMM36

Universal Arbor



## OMS36

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 45mm Precision Cut Blade -Japanese Toothing for Wood

**FEATURES:** HCS with "Japanese" double-row pattern, hardened teeth.

**MATERIAL:** For wood, timber, blockboard, chipboard.

**APPLICATION:** Ground and side-set teeth for precision, clean, quick cutting into soft wood and timber. This tooth pattern with its longer teeth allows you to start cutting from a precise point by standing the blade on its corner and lowering it into the wood. Ideal width for creating long flat horizontal cuts like: door jambs and skirting board.

**WOOD** GROUND & SIDE SET TEETH HCS

Hard/Soft Wood Blockboard Chipboard PVC Plastic


**FAST CUT**

PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
5 in clamshell	45	50	14	5	OMM36-X5	OMS36-X5
50 in masterpack	45	50	14	2	OMM36-X50	OMS36-X50



## OMM06

Universal Arbor



## OMS06

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 68mm Precision Cut Blade -Japanese Toothing for Wood

**FEATURES:** HCS with "Japanese" double-row pattern, hardened teeth.

**MATERIAL:** For wood, timber, blockboard, chipboard.


**APPLICATION:** Ground and side-set teeth for precision, clean, quick cutting into soft wood and timber. This tooth pattern with its longer teeth allows you to start cutting from a precise point by standing the blade on its corner and lowering it into the wood. Ideal width for creating long flat horizontal cuts like: door jambs and skirting board.

**WOOD** GROUND & SIDE SET TEETH HCS

Hard/Soft Wood Blockboard Chipboard PVC Plastic

**FAST CUT**

PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	68	40	14	10	OMM06-X1	OMS06-X1
5 in clamshell	68	40	14	5	OMM06-X5	OMS06-X5
50 in masterpack	68	40	14	2	OMM06-X50	OMS06-X50



## OMM07

Universal Arbor



## OMS07

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 68mm Precision Cut Blade - Japanese Toothing for Wood

**FEATURES:** Bi-metal with 8% Cobalt teeth guarantee extra-long life.

**MATERIAL:** For wood, blockboard, chipboard, plastic, pipes and profiles.

**APPLICATION:** Wide range of applications: installing a ventilation grille, cutting a recess in furniture elements to enable access to a mains socket, flush-cutting wooden components to length (like dowels and tenons), window and door hardware.

**WOOD** MILLED & SIDE SET TEETH BIM 8% Co

Hard/Soft Wood Blockboard Chipboard PVC Plastic


**LONG LIFE**

PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	68	40	18	10	OMM07-X1	OMS07-X1
5 in clamshell	68	40	18	5	OMM07-X5	OMS07-X5
50 in masterpack	68	40	18	2	OMM07-X50	OMS07-X50

# Accessories for Multi-Cutters

## OMM08

Universal Arbor




## OMS08

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 87mm Radial Saw Blade for Wood, Segmented

**FEATURES:** HCS with hardened teeth.  
**MATERIAL:** For wood, blockboard, chipboard, plastic, pipes and profiles.  
**APPLICATION:** Wide range of applications: installing a ventilation grille, cutting a recess in furniture elements to enable access to a mains socket, flush-cutting wooden components to length (like dowels and tenons). Cutting a plastic pipe (PVC) to length.



PACK Quantity	W mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	87	18	10	<b>OMM08-X1</b>	<b>OMS08-X1</b>

## OMM09

Universal Arbor



## OMS09

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 10mm Plunge and Flush-Cut Blade for Wood & Metal


**FEATURES:** Bi-metal with 8% Cobalt teeth.  
**MATERIAL:** For wood, chipboard, plastic, sheet metal, copper and aluminium pipes and profiles.  
**APPLICATION:** Wide range of applications: flush-cutting a nail in wood, adjustment work on non-ferrous profiles, plunge-cutting in plasterboard.



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	10	28	18	10	<b>OMM09-X1</b>	<b>OMS09-X1</b>
5 in clamshell	10	28	18	5	<b>OMM09-X5</b>	<b>OMS09-X5</b>
50 in masterpack	10	28	18	2	<b>OMM09-X50</b>	<b>OMS09-X50</b>

## OMM10

Universal Arbor




## OMS10

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 22mm Plunge and Flush-Cut for Wood & Metal


**FEATURES:** Bi-metal with 8% Cobalt teeth.  
**MATERIAL:** For wood, plasterboard, plastic, sheet metal, copper and aluminium pipes and profiles.  
**APPLICATION:** Wide range of applications: flush-cutting a nail in wood, cutting copper pipes, plunge-cutting in plasterboard.



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	22	48	18	10	<b>OMM10-X1</b>	<b>OMS10-X1</b>
5 in clamshell	22	48	18	5	<b>OMM10-X5</b>	<b>OMS10-X5</b>
50 in masterpack	22	48	18	2	<b>OMM10-X50</b>	<b>OMS10-X50</b>


## OMM11

Universal Arbor



## OMS11

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 28mm Plunge and Flush-Cut Blade for Wood & Metal

**FEATURES:** Bi-metal with 8% Cobalt teeth.  
**MATERIAL:** For wood, plasterboard, plastic, sheet metal, copper and aluminium pipes and profiles.  
**APPLICATION:** Wide range of applications: flush-cutting a nail in wood, cutting copper pipes and aluminium profiles, plunge-cutting in plasterboard.



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	28	48	18	10	<b>OMM11-X1</b>	<b>OMS11-X1</b>
5 in clamshell	28	48	18	5	<b>OMM11-X5</b>	<b>OMS11-X5</b>
50 in masterpack	28	48	18	2	<b>OMM11-X50</b>	<b>OMS11-X50</b>

## OMM12

Universal Arbor



## OMS12

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



OMS12  
W=32mm


### 34mm Plunge and Flush-Cut for Wood & Metal

**FEATURES:** Bi-metal with 8% Cobalt teeth.

**MATERIAL:** For wood, plasterboard, plastic, sheet metal, copper and aluminium pipes and profiles.

**APPLICATION:** Wide range of applications: flush-cutting a nail in wood, cutting copper pipes and aluminium profiles, plunge-cutting in plasterboard.

**WOOD&METAL**



**BIM**  
8% Co



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	34	40	18	10	<b>OMM12-X1</b>	<b>OMS12-X1</b>
5 in clamshell	34	40	18	5	<b>OMM12-X5</b>	<b>OMS12-X5</b>
50 in masterpack	34	40	18	2	<b>OMM12-X50</b>	<b>OMS12-X50</b>

## OMM13

Universal Arbor



## OMS13

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



OMS13  
W=32mm


### 34mm Plunge & Flush-Cut Blade for Wood & Metal. Extra-Long Life

**FEATURES:** TIN Coated Bi-metal with 8% Cobalt.

**MATERIAL:** For wood and nails, plasterboard, plastic, sheet metal, copper and aluminium pipes and profiles.

**APPLICATION:** Wide range of applications: flush-cutting a nail in wood, cutting copper pipes and aluminium profiles, plunge-cutting in plasterboard. Tooth strip coated with titanium nitride for 130% longer life.

**WOOD&METAL**



**BIM**  
TiN



**130%**  
LONGER LIFE

**LONG LIFE**



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	34	40	18	10	<b>OMM13-X1</b>	<b>OMS13-X1</b>
5 in clamshell	34	40	18	5	<b>OMM13-X5</b>	<b>OMS13-X5</b>
50 in masterpack	34	40	18	2	<b>OMM13-X50</b>	<b>OMS13-X50</b>

## OMM14

Universal Arbor



## OMS14

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 35mm Plunge & Flush-Cut Blade for Wood & Metal. Extra-Long Life

**FEATURES:** High quality carbide teeth.

**MATERIAL:** for wood, hardened screws and nails, plasterboard, plastic, sheet metal, copper, aluminium and stainless steel.

**APPLICATION:** wide range of applications: cutting hardened screws/nails, cutting stainless steel like kitchen cabinet fronts, plunge cuts in severely abrasive materials like fiberglass.

**WOOD&METAL**

**HW**



**2X**  
LONGER LIFE

**LONG LIFE**



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	35	40	20	10	<b>OMM14-X1</b>	<b>OMS14-X1</b>

## OMM35

Universal Arbor



## OMS35

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



**EXTRA LONG**


### 42mm Plunge and Flush-Cut Blade for Wood & Metal

**FEATURES:** Bi-metal with 8% Cobalt teeth.

**MATERIAL:** for wood, plasterboard, plastic, sheet metal, copper and aluminium pipes and profiles.

**APPLICATION:** flush-cutting a nail, cutting copper pipes and aluminium profiles, plunge-cutting in plasterboard.

**WOOD&METAL**




**BIM**  
8% Co



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
5 in clamshell	42	68	18	5	<b>OMM35-X5</b>	<b>OMS35-X5</b>
50 in masterpack	42	68	18	2	<b>OMM35-X50</b>	<b>OMS35-X50</b>

## OMM15

Universal Arbor



## OMS15

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 45mm Plunge and Flush-Cut Blade for Wood & Metal

**FEATURES:** Bi-metal with 8% Cobalt.  
**MATERIAL:** For wood, plasterboard, plastic, sheet metal, copper and aluminium pipes and profiles.  
**APPLICATION:** Wide range of applications: flush-cutting a nail, cutting copper pipes and aluminium profiles, plunge-cutting in plasterboard.


**WOOD&METAL** MILLED & SIDE SET TEETH **BIM 8% Co**

Hard/Soft Wood PVC Plastic ALU Aluminium Sheet Metal Non-Ferrous Metals

Pack Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in clamshell	45	48	18	10	OMM15-X1	OMS15-X1
5 in clamshell	45	48	18	5	OMM15-X5	OMS15-X5
50 in masterpack	45	48	18	2	OMM15-X50	OMS15-X50

## OMM16

Universal Arbor



## OMS16

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 45mm Plunge & Flush-Cut for Wood & Metal. Extra-Long Life

**FEATURES:** TiN coated Bi-metal with 8% Cobalt.  
**MATERIAL:** For wood and nails, plasterboard, plastic, sheet metal, copper and aluminium pipes and profiles.  
**APPLICATION:** Wide range of applications: flush-cutting a nail, cutting copper pipes and aluminium profiles, plunge-cutting in plasterboard. Coated with titanium nitride for 130% longer life.

**WOOD&METAL** MILLED & SIDE SET TEETH **BIM 8% Co**


Hard/Soft Wood PVC Plastic ALU Aluminium Sheet Metal Non-Ferrous Metals

**130% LONGER LIFE** **LONG LIFE**

Pack Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in clamshell	45	48	18	10	OMM16-X1	OMS16-X1
5 in clamshell	45	48	18	5	OMM16-X5	OMS16-X5
50 in masterpack	45	48	18	2	OMM16-X50	OMS16-X50

## OMM17

Universal Arbor



## OMS17

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 87mm Radial Saw Blade for Wood & Metal, Segmented.

**FEATURES:** Bi-metal with 8% Cobalt.  
**MATERIAL:** For wood, veneered panels, plastic and laminated-panels, sheet metal, copper and aluminium pipes and profiles.  
**APPLICATION:** Wide range of applications: cutting a nail to size, cutting a door frame and laminate/parquet, cutting aluminium profiles, plunge-cutting.

**WOOD&METAL** **BIM 8% Co**

Hard/Soft Wood PVC Plastic ALU Aluminium Sheet Metal Non-Ferrous Metals

**LONG LIFE**

Pack Quantity	W mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in clamshell	87	20	10	OMM17-X1	OMS17-X1

## OMM18

Universal Arbor



## OMS18

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 87mm Radial Saw Blade for Wood & Metal, Segmented. Extra-long life

**FEATURES:** TiN Coated Bi-metal with 8% Cobalt.  
**MATERIAL:** For wood, plasterboard and fibercement boards, sheet metal, copper and aluminium pipes and profiles.  
**APPLICATION:** Wide range of applications: plunge-cutting in plasterboard, custom moulding cutting, cutting recesses in epoxy/fibreglass like boat dashboards.

**WOOD&METAL** **BIM TiN**


Hard/Soft Wood PVC Plastic ALU Aluminium Sheet Metal Non-Ferrous Metals

**130% LONGER LIFE** **LONG LIFE**

Pack Quantity	W mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in clamshell	87	20	10	OMM18-X1	OMS18-X1

**OMM19**

Universal Arbor



**OMS19**

Arbor for  
FEIN® SuperCut  
FESTOOL® VECTURO®



**52mm Rigid Scraper for all Materials**

**FEATURES:** HL rigid scraper.

**APPLICATION:** Wide range of applications: removing mortar or tile adhesive, removing mortar and concrete residues, removing hard, brittle carpet adhesive residues.



Pack Quantity	W mm	I mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	52	26	10	<b>OMM19-X1</b>	<b>OMS19-X1</b>
5 in clamshell	52	26	5	<b>OMM19-X5</b>	<b>OMS19-X5</b>

**OMM20**

Universal Arbor



**OMS20**


Arbor for  
FEIN® SuperCut  
FESTOOL® VECTURO®



**52mm Flexible Scraper for all Materials**

**FEATURES:** HL flexible scraper.

**APPLICATION:** Wide range of applications: removing soft carpet adhesive residues, removing paint residues, removing silicone joints.



Pack Quantity	W mm	I mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	52	45	10	<b>OMM20-X1</b>	<b>OMS20-X1</b>
5 in clamshell	52	45	5	<b>OMM20-X5</b>	<b>OMS20-X5</b>

**OMM21**

Universal Arbor



**OMS21**

Arbor for  
FEIN® SuperCut  
FESTOOL® VECTURO®



**28mm Sharp Corner Scraper for all Materials**

**FEATURES:** HL sharp corner scraper.

**APPLICATION:** Wide range of applications: cutting soft expansion joints, cutting window putty like sealing compound, cutting insulation materials.



Pack Quantity	W mm	I mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	28	50	10	<b>OMM21-X1</b>	<b>OMS21-X1</b>
5 in clamshell	28	50	5	<b>OMM21-X5</b>	<b>OMS21-X5</b>
50 in masterpack	28	50	2	<b>OMM21-X50</b>	<b>OMS21-X50</b>


**OMM22**

Universal Arbor



**OMS22**

Arbor for  
FEIN® SuperCut  
FESTOOL® VECTURO®





**87mm Carbide Grit Radial Saw Blade, Segmented.**

**FEATURES:** Carbide Grit.

**MATERIAL:** Radial saw blade for tiles joints, plasterboard, porous concretes and similar construction materials.


**APPLICATION:** Wide range of applications: cutting wall or floor joints, small cutouts in soft/porous wall tiles, groove work in porous concrete, and laying concealed cables and pipes.



Pack Quantity	W mm	K mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	87	2,2	10	<b>OMM22-X1</b>	<b>OMS22-X1</b>

## OMM23

Universal Arbor



## OMS23

Arbor for  
FEIN® SuperCut  
FESTOOL® VECTURO®




### 87mm Diamond Coated Radial Saw Blade, Segmented. Extra-Long Life

**FEATURES:** Diamond grit for extended lifetime.

**MATERIAL:** Segmented radial saw blade for tiles joints, plasterboard, porous concretes, construction materials, epoxy resin and fibreglass.

**APPLICATION:** Wide range of applications: cutting joints on wall and floor tiles, small cutouts in soft wall tiles, cutting recesses in epoxy resin/fibreglass and reinforced plastic used on boat hulls, and cutting bonding adhesives used on tiles.

**MASONRY GRIT**




**LONG LIFE**



Pack Quantity	W mm	K mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	87	1,6	10	OMM23-X1	OMS23-X1
25 in masterpack	87	1,6	2	OMM23-X25	OMS23-X25

## OMM24

Universal Arbor



## OMS24

Arbor for  
FEIN® SuperCut  
FESTOOL® VECTURO®




### 65mm Carbide Grit Radial Saw Blade, Segmented

**FEATURES:** Carbide Grit.

**MATERIAL:** Radial saw blade for tiles joints, plasterboard, porous concretes and similar construction materials.

**APPLICATION:** Wide range of applications: cutting joints on wall and floor tiles, small cutouts in soft wall tiles, groove work in porous concrete, and laying concealed cables and pipes.

**MASONRY CARBIDE GRIT**



Pack Quantity	W mm	K mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	65	1,6	10	OMM24-X1	OMS24-X1

## OMM27

Universal Arbor



## OMS27

Arbor for  
FEIN® SuperCut  
FESTOOL® VECTURO®




### 65mm Diamond Grit Coated Radial Saw Blade, Segmented. Extra-Long Life

**FEATURES:** Diamond grit for extended lifetime.

**MATERIAL:** Segmented radial saw blade for tiles joints, plasterboard, porous concretes, construction materials, epoxy resin and glass fibre.

**APPLICATION:** Wide range of applications: cutting joints on wall and floor tiles, small cutouts in soft wall tiles, recess work in epoxy resin/fibreglass and reinforced plastic used on boat hulls, cutting bonding adhesives used on tiles.

**MASONRY GRIT**



**LONG LIFE**



Pack Quantity	W mm	K mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	65	2	10	OMM27-X1	OMS27-X1

## OMM26

Universal Arbor




### 35mm Carbide Grit Fingertip Rasp - Double-Sided

**FEATURES:** Carbide Grit on both sides.

**MATERIAL:** Fingertip Rasp for tiles, plasterboard, porous concretes, construction materials, wood, carpets.

**APPLICATION:** Wide range of applications: removing mortar or tile adhesive, removing carpet adhesive residues, rasping wood for rough adjustments, rough grinding of filler, tile adhesives, concrete, stone and wood.

**MASONRY CARBIDE GRIT**




Pack Quantity	W mm	I mm		ORDER NO. Universal Arbor
1 in clamshell	33	35	10	OMM26-X1



## OMM25

Universal Arbor



### 80mm Carbide Grit Delta Rasp

**FEATURES:** Carbide Grit.

**MATERIAL:** Abrasive triangular rasp for tiles, plasterboard, porous concretes, construction materials, wood, carpets.

**APPLICATION:** Wide range of applications: removing mortar or tile adhesive, removing carpet adhesive residues, rasping wood for rough adjustment, rough grinding of filler, tile adhesives, concrete, stone and wood.



Pack Quantity	W mm		ORDER NO. Universal Arbor
1 in clamshell	80	10	OMM25-X1

## OMM28

Universal Arbor




### 57mm Diamond Coated Segment Saw Blade. Extra-Long Life

**FEATURES:** Diamond grit for extended lifetime.

**MATERIAL:** Segmented blade for tiles, marble, epoxy resins.

**APPLICATION:** Wide range of applications: removes mortar from tiled surfaces. Efficient shape allows for aggressive grinding without damaging tiles. For cutting out marble, epoxy resin and Trass joint work, cutting in plaster, brick, pumice and honeycomb stone as well as autoclave aerated concrete. Long-lasting blades designed specifically for very hard mortar.



Pack Quantity	W mm	K mm		ORDER NO. Universal Arbor
1 in clamshell	57	2	10	OMM28-X1
25 in masterpack	57	2	4	OMM28-X25

## OMM29

Universal Arbor



## OMS29

Arbor for FEIN® SuperCut FESTOOL® VECTURO®




### 65mm Carbide Grit Grout and Mortar Remover

**FEATURES:** Carbide Grit.

**MATERIAL:** Grout and mortar remover for tiles, concrete, stone.

**APPLICATION:** Wide range of applications: grout removal, rasping away mortar or tile adhesive, remove joints, tiles, all with one tool. Suitable for removing carpet residues from mineral surfaces. The special design allows precision work into 90° corners.



Pack Quantity	W mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	65	10	OMM29-X1	OMS29-X1

## OMM30

Universal Arbor



## OMS30

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



### 93mm Delta Sanding Pad, Perforated

**FEATURES:** Perforated sanding pad with self adhesive VELCRO®.

**APPLICATION:** Quick and easy sanding sheet changes. Comprehensive range of sanding sheets allows for perfect sanding of any material or surface.



Pack Quantity	W mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in clamshell	93	10	OMM30-X1	OMS30-X1

93mm Delta Polishing Fleece. Perforated



OMA30000

SEE PAGE 110



OMA30

93mm Aluminium-Oxide Delta Sandpaper for Wood. Perforated

## OMM-X4

Universal Arbor



### 4 piece General Purpose Set for Multi-Cutters

- 2 blades with Japanese Tothing for cutting wood, chipboard, plasterboard and plastics.
- 2 blades in BIM for cutting wood products, chipboard, plasterboard, fiberglass, epoxy resins, soft plastics, sheet metal, aluminium pipes and profiles. Cuts through embedded nails in wood up to 5mm in diameter as well as porous concrete.

## WOOD WOOD&NAILS

8 Sets in End-cap display  
(minimum order 8 sets)



PACK Quantity	MATERIAL	W mm	I mm	TPI	ORDER NO.
1	HCS	34	40	14	<b>OMM04-X1</b>
1	HCS	68	40	14	<b>OMM06-X1</b>
1	BIM	34	40	18	<b>OMM12-X1</b>
1	BIM	45	48	18	<b>OMM15-X1</b>

## OMM-X33

Universal Arbor



6 Sets Masterpack

### 33 piece General Purpose Set for Multi-Cutters

- blades for cutting wood, plastic, plasterboard, sheet metal, profiles and pipes in aluminum and copper.
- scraper to remove carpet adhesive/glue residues as well as paint and silicone residues.
- sanding pad and sanding sheets (60, 100, 180 grit).

PACK Quantity	W mm	I mm	TPI	GRIT	ORDER NO.
1	34	40	18		<b>OMM12-X1</b>
1	52	45			<b>OMM20-X1</b>
1	93				<b>OMM30-X1</b>
10	93			60	<b>OMA30060-X10</b>
10	93			100	<b>OMA30100-X10</b>
10	93			180	<b>OMA30180-X10</b>

## OMM-X37

Universal Arbor



Front



Back

### 37 piece General Purpose Set for Multi-Cutters

- blades (in two diameters) for cutting in wood, plastic, plasterboard, sheet metal, profiles and pipes in aluminum and copper.
- segmented blade for cutting wood and metal.
- scraper for removing carpet adhesive/glue residues as well as paint and silicone residues.
- rasp in carbide for grinding/sanding/removal of tiles, plasterboard, cement, wood and construction materials.
- specially designed blade to remove mortar, bonding materials, cement and stone, even in hard to reach corners.
- sanding pad and sanding sheets (60, 100, 180 grit).

PACK Quantity	W mm	I mm	TPI	GRIT	ORDER NO.
1	10	28	18		<b>OMM09-X1</b>
1	34	40	18		<b>OMM12-X1</b>
1	87		20		<b>OMM17-X1</b>
1	52	45			<b>OMM20-X1</b>
1	80				<b>OMM25-X1</b>
1	65				<b>OMM29-X1</b>
1	93			10	<b>OMM30-X1</b>
10	93			60	<b>OMA30060-X10</b>
10	93			100	<b>OMA30100-X10</b>
10	93			180	<b>OMA30180-X10</b>

4 Sets in End-cap display  
(minimum order 4 sets)

